

GRAN TURISMO 45

INTRODUCTION

Technical data

Layout

Concept

Exterior USP's

Interior USP's

EXTERIOR

Key points

Aft sunpad

Tender garage

Bow sunpad

Plateform

Cockpit

Helm station

INTERIOR

Salon

Galley

Master cabin

Private head

VIP cabin

Day head

TECHNICAL

Dimensions

Equipments

Performances



TECHNICAL DATA

CHARACTERISTICS

MAIN CHARACTERISTICS	DATA		
Overall length	14,78m	48'5"	
Hull length	13,5m	44'3''	
Hull max beam	4,2m	13'8"	
Max draft	1,20m	3'9''	
Max air draft	4,59m	15'	
Light displacement	11 241 kg	24,782 lbs	
Berths	6		
Category CE	B12 / C12		
Architect	Beneteau Power Boats MICAD		
Designer	Andreani Design		

INTRODUCTION

CAPACITY



Fuel 2 x 450 L 2 x 119 US gal



Water 2 x 200 L 2 x 53 US gal



Hot water tank 40 L 11 US gal



Black water tank 120 L 32 US gal

MOTORISATION / PERFORMANCES



Z-drive Volvo 2 x D6 380 CV

IPS 600 Volvo 2 x 440 CV



Speed max


31 knots (2 x 380 HP) 33 knots (2 x 440 hp)




Autonomy


162 nautical miles (2 x 380 HP) 184 nautical miles (2 x 440 HP)

LAYOUT



GRAN TURISMO 45





3 cabin version



GRAN TURISMO - KEY SELLING POINTS

Power and control

With its inboard engines, the Volvo Z-Drive D6 (2X380 CV/HP) or the Volvo IPS D6 (2X 440 CH/HP), and its Air Step® hull which has further confirmed Beneteau's reputation for producing dynamic, high-performance boats, the Gran Turismo 45 offers outstanding performance and optimal safety, whatever the conditions.

• Full access to a wide range of sea-going leisure pursuits

The vast hydraulic bathing platform is perfect for enjoying water-based leisure activities. Recreational and practical, the GT 45 has an ingenious tender garage hidden under the aft sun deck. This garage will rapidly prove its worth due to its electric winch and cover, and can be converted into a very useful storage area.

Invitation to cruise

The calm, refined atmosphere and bright, airy spaces of the lower deck provide a comfortable area in which to relax and enjoy the cruise. The owner's suite has a full-width cabin with private head and separate shower area, while the VIP cabin in the bow area has scissor berths that occupants can arrange as they wish.

Windows and roofs

With a hard-top that contains an electric sunroof as standard (with optional glass panel) and, if desired, a retractable glass window closing off the rear of the cockpit, the GT 45 provides the perfect indoor-outdoor experience, with effective protection against the weather when needed.

GRAN TURISMO 45 - Exterior KEY USB's

- Air step hull
- Tender garage/toy storage
- 2 versions : electric patio door or open version
- Huge and inviting cockpit area















GRAN TURISMO 41 - Exterior KEY USB's

- Electric pop up TV mechanism in the cockpit
- Bathing platform grill option
- Electric or panoramic sunroof
- 2 comfortable sunbeds

















GRAN TURISMO 45 - Interior KEY USB's

- Central galley location
- Full beam master room
- 2 or 3 cabins layout
- New grey walnut ambiance
- Lacquered white cabinet doors
- Larger hull windows w/ porthole openings














GRAN TURISMO 45

Exterior - Key Points
























GRAN TURISMO 45

Exterior - Key Points













Exterior - Key Points













Exterior -Key Points






Exterior - Key Points

GRAN TURISMO 45


Measures given in centimeters






Interior -Key Points Lower deck

Layout for GRAN TURISMO 45 2 cabin version



Interior -Key Points Lower deck

Layout for GRAN TURISMO 45 3 cabin version

























Interior -Key Points Private Head*

Shower cubicle reflecting in the mirror





















Interior -Key Points Beds

Measures for GRAN TURISMO 45 2 cabin version


Measures given in centimeters




Interior -Key Points Beds

Measures for GRAN TURISMO 45 3 cabin version

Measures given in centimeters




ELECTRICAL & USB OULETS COCKPIT







ELECTRICAL & USB OULETS LOWER DECK













AIR CONDITIONNING 16 000 BTU COCKPIT







AIR CONDITIONNING 24 000 BTU LOWER DECK






A/C Vents 8 000 BTU in master cabin + 16 000 BTU in salon and guest cabin






AIR HEATING 5.5 KW LOWER DECK







AUDIO VISUAL COCKPIT






Speakers





AUDIO VISUAL LOWER DECK





Speakers



TV emplacement





TECHNICAL Performances

PERFORMANCES VOLVO 2 X 380 CV

GRAN TI	JRISMO 45						
	GT4MB - GRAN TURISMO 45						
	Caractéristiques / Specifications:						
	Z-drive Volvo 2 x D6 380 CV						
	FUEL TANK : 2 x 450L / 2 X 119 US gal						
	Déplacement total du bateau testé / Total displacement of boat tested: 13 400kg / 29 541 LBS					LBS	
Regime en tours par minute au tableau de bord <i>l</i> FIFM on instrument panel	Vitesse en nœuds moyenne au radar <i>l</i> Ayerage speed on the radar in knots	Consommation en litres par heure total l consumption in liter per hour total	Rendement / Efficiency (NM/L)	Consommation totale en USGal / heure Total consumption in GPH	Rendement <i>l</i> Efficiency (NM/USGal)	Autonomie en NM (avec réserve 20%) /Range in NM (with 20% fuel reserve)	
1000	5	10	0,50 NM	2,6 USGal	1,9 NM	360,00 NM	
1500	7,9	21,5	0,37 NM	5,7 USGal	1,4 NM	264,56 NM	
2000	9,5	45	0,21 NM	11,9 USGal	0,8 NM	152,00 NM	
2200	10,9	56,3	0,19 NM	14,9 USGal	0,7 NM	139,40 NM	
2400	13,6	70,8	0,19 NM	18,7 USGal	0,7 NM	138,31 NM	
2600	16,2	79	0,21 NM	20,9 USGal	0,8 NM	147,65 NM	
2800	20,1	88,3	0,23 NM	23,3 USGal	0,9 NM	163,90 NM	
3000	23,4	104,2	0,22 NM	27,5 USGal	0,8 NM	161,69 NM	
3200	25,4	112,5	0,23 NM	29,7 USGal	0,9 NM	162,56 NM	
3400	28,5	127,1	0,22 NM	33,6 USGal	0,8 NM	161,45 NM	
3500	29,8	149	0,20 NM	39,4 USGal	0,8 NM	144,00 NM	
3600	31	158,9	0,20 NM	42,0 USGal	0,7 NM	140,47 NM	

TECHNICAL Performances

PERFORMANCES VOLVO 2 X 440 CV

GRAN TURISMO 45								
	GT4MB - GRAN TURISMO 45							
	Caractéristiques / Specifications :							
	IPS 600 VOLVO 2 X 440 CV							
	FUEL TANK : 2 x 450L / 2 X 119 US gal							
	Déplacement total du bateau testé / Total displacement of boat tested: 14 376kg / 31 693 LBS							
Regime en tours par minute au tableau de bord / RPM on instrument panel	Vitesse en nœuds moyenne au radar / Average speed on the radar in knots	Consommation en litres par heure total / consumption in liter per hour total	Rendement / Efficiency (NM/L)	Consommation totale en USGal / heure Total consumption in GPH	Rendement / Efficiency (NM/USGal)	Autonomie en NM (avec réserve 20%) /Range in NM (with 20% fuel reserve)		
600	3,6	7	0,51 NM	1,8 USGal	1,9 NM	370,29 NM		
1000	5,9	20	0,30 NM	5,3 USGal	1,1 NM	212,40 NM		
1500	8,4	24	0,35 NM	6,3 USGal	1,3 NM	252,00 NM		
2000	10,2	30	0,34 NM	7,9 USGal	1,3 NM	244,80 NM		
2500	14,6	36	0,41 NM	9,5 USGal	1,5 NM	292,00 NM		
2800	18,6	60	0,31 NM	15,9 USGal	1,2 NM	223,20 NM		
3000	22,5	88	0,26 NM	23,2 USGal	1,0 NM	184,09 NM		
3200	25,9	126	0,21 NM	33,3 USGal	0,8 NM	148,00 NM		
3500	29,8	168	0,18 NM	44,4 USGal	0,7 NM	127,71 NM		
3600	31,1	210	0,15 NM	55,5 USGal	0,6 NM	106,63 NM		
3727	33	228	0,14 NM	60,2 USGal	0,5 NM	104,21 NM		